




22 5254

»
»
»

22 5244.1

| L (MM) | V (MM) | / . | (кг) |
|--------|--------|-----|------|
| 610 | 215 | 12 | 0,72 |
| 760 | 230 | 12 | 0,85 |
| 914 | 250 | 12 | 0,99 |



22 5244.1

»
»
»

| L (MM) | H (MM) | S (MM) | / . | (кг) |
|--------|--------|--------|-----|------|
| 610 | 20 | 0,7 | 50 | 0,07 |
| 760 | 20 | 0,7 | 50 | 0,09 |
| 800 | 20 | 0,7 | 50 | 0,09 |
| 900 | 20 | 0,7 | 50 | 0,10 |
| 914 | 20 | 0,7 | 50 | 0,10 |
| 1000 | 20 | 0,7 | 50 | 0,11 |

L -
H -

,S -
,V -





22 5251

»
»
»
»

22 5249.1

| L (MM) | V (MM) | . / . | (KG) |
|--------|--------|-------|------|
| 500 | 195 | 12 | 0,47 |




22 5249.1

»
»

22 5251

22 5251


| L (MM) | H (MM) | S (MM) | . / . | (KG) |
|--------|--------|--------|-------|-------|
| 500 | 18 | 0,7 | 50 | 0,054 |



22 5263

»
»
»
»

| L (MM) | V (MM) | . / . | (KG) |
|--------|--------|-------|------|
| 300 | 163 | 20 | 0,50 |





L - , S -
H - , V -



22 5267

»
»
»
»


| L (MM) | V (MM) | . / . | (кг) |
|--------|--------|-------|------|
| 300 | 160 | 10 | 0,57 |




22 5265

»
»

| L (MM) | V (MM) | . / . | (кг) |
|--------|--------|-------|-------|
| 300 | 143 | 10 | 0,316 |



» 22 5263, 22 5265 22 5267



22 5260

»


| L (MM) | H (MM) | T (MM) | . / . | (кг) |
|--------|--------|--------|-------|-------|
| 300 | 15 | 5 | 100 | 0,015 |



22 5261

»

| L (MM) | H (MM) | T (MM) | . / . | (кг) |
|--------|--------|--------|-------|-------|
| 300 | 15 | 4 | 100 | 0,016 |




22 5262.15HP

»

| L (MM) | H (MM) | T (MM) | . / . | (кг) |
|--------|--------|--------|-------|-------|
| 300 | 15 | 5 | 100 | 0,017 |


L - , S -
H - , V -



22 5264

»
» PVC
» 22 5264.1, 7,5



| L (MM) | V (MM) | . / . | (KG) |
|--------|--------|-------|-------|
| 165 | 58 | 10 | 0.096 |



22 5296

»
»
»


| L (MM) | S (MM) | T (MM) | . / . | (KG) |
|--------|--------|--------|-------|------|
| 170 | 1,3 | 3,60 | 10 | 0,24 |



22 5297.1

»
»


| L (MM) | S (MM) | T (MM) | . / . | (KG) |
|--------|--------|--------|-------|------|
| 300 | 1,20 | 3,60 | 10 | 0,22 |





22 5299

»
»

| L (MM) | S (MM) | T (MM) | . / . | (KG) |
|--------|--------|--------|-------|------|
| 300 | 1,20 | 5,00 | 10 | 0,26 |







22 5280

»
»
»
» " "


| L (MM) | S (MM) | T (MM) | ./ . | (кг) |
|--------|--------|--------|------|------|
| 250 | 0,65 | 2,05 | 10 | 0,17 |




22 5281

»
»
»

| L (MM) | S (MM) | T (MM) | ./ . | (кг) |
|--------|--------|--------|------|------|
| 250 | 0,65 | 2,05 | 10 | 0,25 |







22 5282

»
»
»
»

| L (мм) | S (мм) | T (мм) | / . | (кг) |
|--------|--------|--------|-----|------|
| 250 | 0,65 | 2,05 | 10 | 0,29 |





31 6053 "

»

45° и 90°

| L (мм) | H (мм) | / . | (кг) |
|--------|--------|-----|------|
| 250 | 97/65 | 5 | 0,56 |




22 5285A

»
»
»

PVC

| L (мм) | S (мм) | T (мм) | / . | (кг) |
|--------|--------|--------|-----|------|
| 250 | 0,80 | 3,15 | 10 | 0,19 |
| 315 | 0,80 | 3,15 | 10 | 0,23 |



L - , S -
H - , V -




22 5286.1A

»
» PVC
»
»

45° и 90°

| L (мм) | S (мм) | T (мм) | ./ . | (кг) |
|--------|--------|--------|------|------|
| 300 | 0,90 | 3,6 | 10 | 0,30 |




22 5286.1A

»
» PVC
»
»

45° и 90°


| L (мм) | S (мм) | T (мм) | ./ . | (кг) |
|--------|--------|--------|------|------|
| 400 | 0,90 | 3,60 | 10 | 0,39 |
| 450 | 0,90 | 3,60 | 5 | 0,43 |
| 500 | 0,90 | 3,60 | 5 | 0,49 |



22 5286.1B

»
»
»

| L (мм) | S (мм) | T (мм) | ./ . | (кг) |
|--------|--------|--------|------|------|
| 400 | 0,90 | 3,60 | 10 | 0,42 |
| 500 | 0,90 | 3,60 | 5 | 0,52 |




L - , S -
H - , V -



22 5291.1A

» PVC
»


| L (MM) | S (MM) | T (MM) | ./ . | (кг) |
|--------|--------|--------|------|------|
| 250 | 1,10 | 3,20 | 10 | 0,19 |
| 315 | 1,10 | 3,20 | 10 | 0,26 |



22 5292

» ()
»
»


| L (MM) | S (MM) | T (MM) | ./ . | (кг) |
|--------|--------|--------|------|------|
| 250 | 0,60 | 2,05 | 5 | 0,49 |
| 315 | 1,20 | 3,60 | 5 | 0,49 |
| 315 | 0,80 | 3,00 | 5 | 0,49 |





22 5269

» PVC
»
» ' 300

| L (MM) | V (MM) | ./ . | (кг) |
|--------|--------|------|------|
| 120 | 300 | 10 | 0,36 |



L - , S -
H - , V -





22 5257

»
»
»
»
»

22 5256


| L (MM) | V (MM) | . / . | (KG) |
|--------|--------|-------|------|
| 450 | 158 | 15 | 0,79 |



22 5256

»




| L (MM) | H (MM) | T (MM) | | |
|--------|--------|--------|----|------|
| 450 | 20 | 2,5 | 50 | 0,05 |



22 5289

»
»
»
»


| | L (MM) | B | ./ . | (кг) |
|----|--------|------|------|------|
| 17 | 630 | 3,00 | 2 | 1,16 |
| 34 | 630 | 3,00 | 2 | 1,16 |



22 5287

»
»
»
»

| | L (MM) | B | ./ . | (кг) |
|----|--------|------|------|------|
| 11 | 450 | 3,00 | 5 | 0,54 |
| 22 | 450 | 3,00 | 5 | 0,54 |





22 5288

»
»
»
»

PVC

45° и 90°

| | L () | | / . | (кг) |
|----|-------|-----|-----|------|
| 34 | 630 | 1,2 | 2 | 0,64 |

